


- PARADOX APP SETUP -

PLEASE FOLLOW THE PROCESS BELOW TO GAIN REMOTE ACCESS TO YOUR ALARM SYSTEM VIA THE [iParadox](#) APP:

1. DOWNLOAD THE **iParadox** APP FROM THE APP STORE OR GOOGLE PLAY.



2. OPEN THE APP.



3. PRESS THE + ICON TO ADD YOUR ALARM SYSTEM.

App Store 5:23 am 100%

< Cancel New Site Done

General

Site Label: My Security System

IP Password:

Connect Using: PMH DNS >

PMH DNS

Site ID: My Security System

Static IP

Locate your IP Device on a Local Network **Locate**

IP Address / Host Name: 123.123.123.123

IP Port: 10000

Language

Alarm System Label: Latin (default) >

Not Connected

4. IN THIS LOCATION ENTER THE SPECIFIC DETAILS OF YOUR ALARM SYSTEM **SUPPLIED BY YOUR INSTALLER.**

App Store 5:23 am 100%

< Cancel Home Alarm System Done

General

Site Label: Home Alarm System

IP Password: ●●●●

Connect Using: PMH DNS >

PMH DNS

Site ID: SMITH RESIDENCE

Static IP

Locate your IP Device on a Local Network **Locate**

IP Address / Host Name: 10.0.0.172

IP Port: 81

Language


Alarm System Label: Latin (default) >

Not Connected

5. WHEN FINISHED ENTERING ALL REQUIRED FIELDS, SCROLL DOWN TO THE BOTTOM AND PRESS **CONNECT**. FROM HERE YOU WILL BE PROMPTED TO ENTER YOUR USER CODE FOR THE ALARM SYSTEM. ENTER YOUR CODE AND PRESS **DONE**.



6. IF SUCCESSFUL, YOUR SCREEN WILL SHOW YOUR ALARM SYSTEM.



- **ARM** = ARM FULL SYSTEM
- **SLEEP** = ARM IN SLEEP MODE (THIS MODE IS PROGRAMMED BY THE INSTALLER UPON INSTALLATION AND ALLOWS YOU TO ARM SPECIFIED ZONES WHILST KEEPING BEDROOMS ETC DISARMED AT NIGHT TIME).
- **STAY** = ARM THE ALARM SYSTEM PARTIALLY (THIS MODE IS PROGRAMMED BY THE INSTALLER UPON INSTALLATION AND ALLOWS YOU TO PARTIALLY ARM THE SYSTEM, USUALLY USED FOR A SHED, GARAGE OR PERIMETER DOOR/WINDOW REED SWITCHES).
- **DISARM** = DISARM THE ALARM SYSTEM